

TOLERANCIA A LA SEQUIA EN CULTIVOS TROPICALES

DROUGHT TOLERANCE IN TROPICAL CROPS

Abebe, Amare; Brick, Mark A.; Ogg, J. Barry; Kirkby, Roger Alexander. 1995. Selection indices to identify drought tolerant dry bean lines. Bean Improvement Cooperative. Annual Report (USA) 38:44-45.

Acosta Díaz, Efraín; Acosta Gallegos, Jorge Alberto; Kohashi Shibata, Josué; Escalante Estrada, José Alberto S. 1996. Abscission of reproductive structures in *Phaseolus vulgaris* L. under drought stress. Bean Improvement Cooperative. Annual Report (USA) 39:223-224.

Acosta Díaz, Efraín; Acosta Gallegos, Jorge Alberto; Padilla Ramírez, José Saúl. 1999. Agronomic traits in early stages as an indirect selection criterion in common bean under intermittent drought. Bean Improvement Cooperative. Annual Report (USA) 42:73-74.

Acosta Díaz, Efraín; Kohashi Shibata, Josué; Escalante Estrada, José Alberto S.; Acosta Gallegos, Jorge Alberto; Nava Sánchez, Tomás. 1994. Yield response to drought in common bean (*Phaseolus vulgaris* L.) varieties Bean Improvement Cooperative. Annual Report (USA) 37:165-166.

Acosta Gallegos, Jorge Alberto; Ibarra Pérez, Francisco José; Cázares Enríquez, Benito; Castillo Rosales, Adán; Rosales Serna, Rigoberto; Kelly, James D.; Singh, S.P. 2001. Notice of naming and release of Negro Vizcaya, a new mid season, disease resistant, shiny black bean, drought adapted cultivar for the highlands of Mexico. Bean Improvement Cooperative. Annual Report (USA) 44:193-194.

Adams, M.W.; Reicosky, D.; Graham, P.; Acosta, J. 1982. Improving resistance to environmental stress (drought, nitrogen) in beans through genetic selection for carbohydrate partitioning and efficiency of biological nitrogen fixation . In: Bean/Cowpea Collaborative Research Support Program. 1982 Annual Report . Michigan State University (MSU), East Lansing, MI, USA. p. 74. (26040)

Aguirre Medina, Juan Francisco. 1999. Identificación de respuestas fisiológicas y adaptaciones morfológicas de tolerancia a sequía en frijol *Phaseolus vulgaris* L. Tesis (Doctor en Ciencias) . Colegio de Postgraduados, Instituto de Recursos Naturales, Especialidad en Botánica, Montecillo, MX. 153 p. (SB 327 .A48)

Alfaro E., R. 1976. Evaluacion del metodo de germinacion en condiciones hipertonicas y pH de variedades de maiz (*Zea mays* L.) y frijol (*Phaseolus vulgaris*) con resistencia a sequia, acidez y alcalinidad y posible diferenciacion de variedades bajo condiciones de laboratorio. Tesis (Ingeniero Agrónomo) . Instituto Tecnológico y de Estudios Superiores de Monterrey, Monterrey, MX. 39 p. (24953)

Amede, Tilahun. 1998. Analysis of drought resistance in grain legumes : The case of *Vicia faba* L., *Pisum sativum* L., *Phaseolus vulgaris* L. and *Cicer aritinum* L. Thesis (Dr. sc. agr.) . Verlag Ulrich E. Grauer, Stuttgart, DE. 135 p. (SB 791 .A4)

Badji, M. 1984. Utilisation de l'eau du sol par une culture (*Brachiaria ruziziensis*) en conditions climatiques semi-arides: Analyse experimentale et simulation numerique. Thesis (Docteur Sc.Agr.) . Katholieke Universiteit te Leuven, Louvain-La-Neuve, BE. 163 p. (25983)

Baker, F.W.G. (ed.). 1989. Drought resistance in cereals. CAB International, Wallingford, GB. 222 p. (SB 189 .D76)

Bantilan, Maria Cynthia Cerquiña; Parthasarathy Rao, P.; Padmara, R. (eds.). 2001. International Symposium on Future of Agriculture in Semi-Arid Tropics (2001, Patancheru, India). Proceedings . International Crops Research Institute for the Semi-Arid Tropics (ICRISAT), Patancheru, IN. 93 p. (SB 111 .F8)

Bantilan, Maria Cynthia Serquiña; Joshi, Pramod K. (eds.). 1998. International Workshop on Joint Impact Assessment of NARS/ICRISAT Technologies for the Semi-Arid Tropics (1996, Patancheru, India). Assessing joint research impacts : Proceedings . International Crops Research Institute for the Semi-Arid Tropics (ICRISAT), Patancheru, IN. 283 p. (SB 185 .A9)

Barlow, Edward William Ross. 1974. Physiological effects of water stress on young corn plants. Thesis (Ph.D.) . Oregon State University, Corvallis, OR, USA. 128 p. (SB 191 .M2 B37)

Beebe, Stephen E.; Rao, Idupulapati Madhusudana; Polanía, José; Grajales, Miguel; Cajiao V., César Hernando. 2008. Improved harvest index in drought resistant common beans and possible effects on combining ability . Bean Improvement Cooperative. Annual Report (USA) 51:8-9. (68392)

Beebe, Stephen E.; Makunde, Godwill S.; Blair, Matthew W.; Chirwa, Rowland; Lungu, Davies. 2007. Inheritance of drought tolerance traits in andean x andean and andean x Mesoamerican F2 populations . Bean Improvement Cooperative. Annual Report (USA) 50:159-160. (68055)

Belhassen, Eric (ed.). 1997. Drought tolerance in higher plants : Genetical, physiological and molecular biological analysis . Kluwer Academic Publishers, Dordrecht, NL. 103 p. (S 600 .7 .D76 D77)

Bidinger, F.R.; Johannsen, Christ T. (eds.). 1988. Drought research priorities for the dryland tropics . International Crops Research Institute for the Semi-Arid Tropics (ICRISAT), Patancheru, IN. 219 p. (S 612 .2 D76)

Boken, Vijendra K.; Cracknell, Arthur P.; Heathcote, R.L. (eds.). 2005. Monitoring and predicting agricultural drought : A global study [on line] . Oxford University Press, Oxford, GB; New York, NY, USA. 472 p.

Boyko, Hugo (ed.). 1966. Salinity and aridity : New approaches to old problems . W. Junk, The Hague, NL. 408 p. (Monographie biologicae v. 16) (S 595 .S3)

Cannell, Glenn H. (ed.). 1977. International Symposium on Rainfed Agriculture in Semi-Arid Regions (1977, Riverside, Calif.). Proceedings . University of California, Riverside, CA, USA. 703 p. (S 600 .I5)

Centro Internacional de Agricultura Tropical. 2010. Fighting drought and aluminum toxicity : Integrating functional genomics phenotypic screening and participatory evaluation with women and small-scale farmers to develop stress-resistant common bean and Brachiaria for the tropics: Final report, reporting period April 2006-March 2010 [on line] . CIAT, Cali, CO. 235 p.

Cerqueira, Y.M.. 1989. Efeito da deficiencia de agua na anatomia foliar de cultivares de mandioca (*Manihot esculenta* Crantz). Tesis (Mestrado) . Universidade Federal da Bahia, Escola de Agronomia, Cruz das Almas, BR. 113 p. (37018)

Chang, Te-Tzu; Harahap, Zainuddin; Somrith, Boriboon; Vaish, C.P.; Masajo, Tomas Matibag. 1983. Breeding strategies for upland and shallow-and-drought-prone rainfed-wetland rices . International Rice Research Institute (IRRI), Los Baños, Laguna, PH. 18 p. (61813)

Coulson, C.L. 1983. Final report. Growth parameters of beans varieties under varying water regimes . In: Webster, B.D. (ed.). Improvement of drought and heat tolerance of disease resistant beans in semi-arid regions of Kenya. Report of research, 1982-1983 . Bean/Cowpea Collaborative Research Support Program (CRSP), East Lansing, MI, USA. p. 105-120. (22910)

Coulson, C.L. 1983. Interim report on progress for growth parameters of bean varieties under varying water regimes . In: Webster, B.D. (ed.). Improvement of drought and heat tolerance of disease resistant beans in semi-arid regions of Kenya. Report of research, 1982-1983 . Bean/Cowpea Collaborative Research Support Program (CRSP), East Lansing, MI, USA. p. 99-104. (22909)

Curso Taller sobre Técnicas Apropriadas para la Propagación de Especies de Importancia Económica para las Zonas Aridas y Semiaridas de América Latina y el Caribe (1, 1995, México, D.F., México). 1995. Informe . Oficina Regional de la FAO para América Latina y El Caribe, Santiago de Chile, CL. 81 p. (Serie: zonas áridas y semiaridas no. 5) (SB 119 .I5)

De Datta, Surajit K.; Chang, Te-Tzu; Yoshida, Shouichi. 1975. Tolerancia a la sequía en arroz de secano . [s.n.], [S.I.] 25 p. (65882)

Delgado De Suarez, H. 1985. Tratamiento previo a la sequia en pasto guinea (*Panicum maximum*, Jacq.) bajo pastoreo, su influencia en la epoca seca y su posterior recuperacion. Tesis (M.Sc.) . universidad del Zulia, Facultad de Agronomía, División de Estudios Graduados, Maracaibo, VE. 133 p. (36461)

Dennis Child, R.; Jones, R. Katherine; Peterson, Roald A.; Pieper, Rex D.; Poulton, Charles E.. 1987. Arid and semiarid rangelands : Guidelines for development . Winrock International, Morrilton, AR, USA. 291 p. (SF 85 .43 A7)

Downing, Thomas E.; Gitu, Kangethe W.; Kamau, C.M. (eds.). 1989. Coping with drought in Kenya : National and local strategies . Lynne Rienner Publishers, Boulder, CO, USA. 411 p. (Food in Africa series) (QC 929 .28 .K4 C6)

Drought resistance in crops with emphasis on rice. 1982. International Rice Research Institute (IRRI), Los Baños, Laguna, PH. 414 p. (SB 791 .D7)

Edmeades, Gregory O.; Bänziger, Martin; Mickelson, H.R; Peña Valdivia, Cecilia Beatriz (eds.). 1997. Developing drought-and low N-tolerant maize : Proceedings of a symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico . Centro Internacional de Mejoramiento de Maíz y Trigo (CIMMYT), El Batán, MX. 566 p. (SB 191 .M2 D479)

Espinosa V., D. 1986. Resistencia a la sequia XVIII. Efecto de la tension hidrica (sequia) en la simbiosis *Rhizobium phaseoli-Phaseolus vulgaris L* Tesis (Biólogo). Universidad Nacional Autónoma de México (UNAM), Facultad de Ciencias, México, DF, MX. 169 p. (25899)

Fischer, K.S.; Johnson, E.C.; Edmeades, Gregory O. 1983. Breeding and selection for drought resistance in tropical maize. Centro Internacional de Mejoramiento de Maíz y Trigo (CIMMYT), El Batán, MX. 16 p. (64231)

Fischer, K.S.; Johnson, E.C.; Edmeades, Gregory O. 1984. Mejoramiento y selección de maíz tropical para incrementar su resistencia a la sequía. Centro Internacional de Mejoramiento de Maíz y Trigo (CIMMYT), México, DF, MX. 20 p. (64214)

Fischer, K.S.; Lafitte, R.; Fukai, S.; Atlin, G.N.; Hardy, Bill (eds.). 2003. Breeding rice for drought-prone environments. International Rice Research Institute (IRRI), Los Baños, Laguna, PH. 98 p. (SB 191 .R5 F57)

Fisher, M.J.. 1982. Responses of Siratro (*Macroptilium atropurpureum*) to water stress. Thesis (Ph.D.) . University of Queensland, Department of Agriculture, Brisbane, AU. 200 p. 25470

Floor-Drees, E.M. 1982. Draft report on a field experiment to screen promising bean cultivars for drought resistance. National Horticultural Research Station (NHR), Grain Legume Project, Thika, KE. 46 p. (20919)

Floor-Drees, E.M.. 1982. Research on drought resistance in dry beans (*Phaseolus vulgaris*) . In: Kenya. Ministry of Agriculture. Grain Legume Project. Four years progress report: April 1978-April 1982 . Kenya Ministry of Agriculture, Thika, KE. p. 52-62. (20021)

Floor-Drees, E.M.. 1984. The influence of drought stress on flowering and abscission of *Phaseolus vulgaris* L . National Horticultural Research Station (NHR), Grain Legume Project, Thika, KE. 2 p. (20915)

Flores L., H.E.; Aceves R., J. De J.; Aleman M., V.. 1987. Ensayo de lineas y variedades adaptadas a condiciones de sequia y tolerantes a enfermedades y conchuela . In: Núñez G., S. (ed.). Red de leguminosas comestibles: Informe anual de investigacion del Grupo Interdisciplinario de Frijol 1987 . Instituto Nacional de Investigaciones Forestales y Agropecuarias (INIFAP), Campo Experimental Altos de Jalisco, Guadalajara, MX. p. 148-152. (39139)

Flores-Lui, L.F.. 1982. Flowering, pod-set, yield and dry matter partitioning of beans (*Phaseolus vulgaris* L.) in response to water stress and flower and leaf removal. Thesis (Ph.D.) . University of California (UC), Davis, CA, USA. 119 p. (25301)

Flores, M.A.A. 1981. Effects of water stress on the microbial populations in the rhizosphere and on the growth and development of *Phaseolus vulgaris* L. Thesis (M.Sc.) . University of Santo Tomas, Manila, PH. 140 p. (21091)

Forage and browse plants for arid and semiarid Africa. 1984. International Board for Plant Genetic Resources (IBPGR), Rome, IT. 302 p. (AGPG:IBPGR 84/149) (25210)

Foster, E.F.; Carmi, A.; Núñez Barrios, Abelardo; Manthe, M.. 1991. Drought effects on N concentration and water use in reciprocal grafts of beans with differing drought adaptation . Bean Improvement Cooperative. Annual Report (USA) 34:108-109. (40209)

Frahm, Mark A.; Rosas Sotomayor, Juan Carlos; Kelly, James D.. 2002. Drought resistance of black bean evaluated in a lowland tropical environment . Bean Improvement Cooperative. Annual Report (USA) 45:56-57.

Gathuru, E.M.; Mukunya, D.M.. 1983. Disease survey . In: Webster, B.D. (ed.). Improvement of drought and heat tolerance of disease resistant beans in semi-arid regions of Kenya. Report of research, 1982-1983 . Bean/Cowpea Collaborative Research Support Program (CRSP), East Lansing, MI, USA. p. 65-73. (22906)

Giorgis, K. 1987. A review of haricot bean agronomy research in the semi-arid regions of Ethiopia . Ethiopian Agricultural Research Organization (EARO), Addis Ababa, ET. 10 p. (33221)

Guimaraes, C.M.. 1986. Drought resistance in bean (*Phaseolus vulgaris* L.) . Bean Improvement Cooperative. Annual Report (USA) 29:130-131. (27759)

Guimaraes, Cleber Morais; Brunini, Orivaldo; Stone, Luís Fernando. 1993. Adaptation of bean (*Phaseolus vulgaris* L.) to water deficit . Bean Improvement Cooperative. Annual Report (USA) 36:76-77.

Guimaraes, Cleber Morais; Brunini, Orivaldo; Stone, Luís Fernando. 1993. Differential root density and water extraction rate of bean (*Phaseolus vulgaris* L.) drought-sensitive and tolerant cultivars . Bean Improvement Cooperative. Annual Report (USA) 36:78-79.

Gutierrez C., M.A.. 1986. Resistencia a la sequia, XXII: Cotejo de un marcador fisiologico de sequia que se correlaciona con rendimiento agronomico en frijol (*Phaseolus vulgaris* L.). Tesis (M.Sc.) . Colegio de Postgraduados (CP), Institución de Enseñanza e Investigación en Ciencias Agrícolas, Centro de Botánica, Chapingo, MX. 195 p. (33045)

Hidalgo, R. 1977. Screening for drought tolerance in dry beans (*Phaseolus vulgaris* L.). Thesis (M.Sc.). Cornell University, Ithaca, NY, USA. 117 p. (3158)

Huerta Salanova, Armando. 1966. Responses of *Zea mays* L. to water stress. Thesis (Ph.D.) . Iowa State University, Ames, IA, USA. 82 p. (SB 191 .M2 H9)

Ibarra Pérez, Francisco José. 1985. Effects of water stress on the relationships between root and shoot characteristics in dry beans. Thesis (M.Sc.) . Michigan State University (MSU), Department of Crop and Soil Science, East Lansing, MI, USA. 114 p. (SB 327 .I2)

Indira, P.; Ramanujam, T.. 1984. Screening of varieties for salt and drought tolerance in cassava . In: Central Tuber Crops Research Institute. Annual Progress Report 1983 . CTCRI, Trivandrum, IN. p. 34. (23264)

Itulya, F.; Coulson, C.; Webster, B.. 1983. Progress report on identification of bean cultivars suitable for semi- arid areas in Kenya. (October rains, 1982 and March rains, 1983) . In: Webster, B.D. (ed.). Improvement of drought and heat tolerance of disease resistant beans in semi-arid regions of Kenya. Report of research, 1982-1983 . Bean/Cowpea Collaborative Research Support Program (CRSP), East Lansing, MI, USA. p. 95-98. (22908)

Keoghan, J.M.. 1979. "Mexican macro". (*Macroptilium atropurpureum*)- a drought- tolerant forage legume for drier parts of the caribbean . University of the West Indies, Forage Legume Project, St. John's, AG. 2 p. (11415)

Kilen, Thomas C.. 1968. Studies of drought tolerance in maize (*Zea mays L.*). Thesis (Ph.D.) . University of Wisconsin, Madison, WI, USA. 113 p. (SB 191 .M2 K5)

Kimani, Paul M.; Beebe, Stephen E.. 2004. Screening for drought tolerance in Eastern Africa. Bean Improvement Cooperative. Annual Report (USA) 47:311-312.

Klaedtke, Stephanie Mathilde. 2010. Photosynthate remobilization capacity of drought adapted bean lines and their F2-progenies derived from crosses with an interspecific hybrid of *Phaseolus vulgaris* x *P. dumosus* . Rheinische Friedrich-Wilhelms-Universität, Bonn, Germany. 115 p.

Kohashi-Shibata, J.; Uscanga-Mortera, E.. 1989. Differential effect of a water deficit on the growth of the central leaflet of *Phaseolus vulgaris* L. of determinate growth habit . Bean Improvement Cooperative. Annual Report (USA) 32:44-45. (38843)

Kuo, C. George (ed.). 1993. Adaptation of food crops to temperature and water stress : Proceedings of an international symposium, Taiwan, 13-18 August 1992 . Asian Vegetable Research and Development Center (AVRDC), Taipei City, CN. 531 p. (SB 112 .5 A3)

Lemons, John; Victor, Reginald; Schaffer, Daniel (eds.). 2003. Conserving biodiversity in arid regions : Best practices in developing nations . Kluwer Academic Publishers, Boston, MA, USA; Dordrecht, NL; London, GB. 493 p. (QH 541 .5 .A74 C6)

Leroy, Wayne Leroy. 1986. Mejoramiento de maíz para tolerancia a la sequía : Algunas consideraciones y los trabajos del CIMMYT . Centro Internacional de Mejoramiento de Maíz y Trigo (CIMMYT), Estanzuela, UY. 11 p. (63248)

Leuschner, Klaus; Manthe, C.S. (eds.). 1996. SADC/ICRISAT Regional Sorghum and Pearl Millet Workshop (1994, Gaborone, Botswana). Drought-tolerant crops for Southern Africa : Proceedings . International Crops Research Institute for the Semi-Arid Tropics (ICRISAT),

Patancheru, IN. 358 p. (SB 791 .D76)

Mackill, David J.; Pushpavesa, S. 1983. Breeding rice for drought and subemergence-prone rainfed lowland conditions . International Rice Research Institute (IRRI), Rice Research Division, Bangkhen, TH. 15 p. (61858)

McClean, P.E.. 1982. Water stress effects on protein and yield traits in dry bean. Thesis (Ph.D.) . Colorado State University (CSU), Fort Collins, CO, USA. 89 p. (19848)

Majambere, Joachim. 1998. Adaptation to drought in common bean (*Phaseolus vulgaris* L.) : Root and shoot development in relation to water stress in selected bean genotypes. Thesis . Agricultural University of Norway, Aas, NO. 82 p. (SB 327 .M353)

Menin, L.K.; Njarui, D.M.; Beattie, W.M.; Keating, B.A.; Jones, R.K. 1988. Adaptation of forage and browse legumes to the semi-arid mid- altitude regions of Kenya - an interim report . In: Dzowela, B.H. (eds.). African forage plant genetic resources, evaluation of forage germplasm and extensive livestock production systems: Proceedings of the third workshop held at the International Conference Centre, Arusha, Tanzania, 27-30 April 1987 . International Livestock Centre for Africa (ILCA), Addis Ababa, ET. p. 134-148. (36511)

Menyonga, Joseph Mufu; Bezuneh, Taye; Youdeowei, Anthony (eds.). 1987. International Drought Symposium on Food Grain Production in Semi-Arid Africa : Proceedings . OAU/STRC-SAFGRAD, Ouagadougou, BF. 683 p. (SB 188 .53 .A35 F4)

Mukunya, D.M.; Gathuru, E.M.; Waines, G.. 1983. Germplasm testing . In: Webster, B.D. (ed.). Improvement of drought and heat tolerance of disease resistant beans in semi-arid regions of Kenya. Report of research, 1982-1983 . Bean/Cowpea Collaborative Research Support Program (CRSP), East Lansing, MI, USA. p. 33-48. (22903)

Navea Tovar, Carlos. 1997. Respuesta anatómica del frijol (*Phaseolus vulgaris* L.) al estrés hídrico. Tesis (Maestro en Biología de Recursos Vegetales) . Universidad Nacional Autónoma de México (UNAM), División de Estudios de Posgrado, México, DF, MX. 71 p. (SB 327 .N3)

Ngugi, E.C.K.; Galwey, Nicholas W... 1990. Greenhouse measurements of drought response in *Phaseolus vulgaris* and *Phaseolus acutifolius* . Bean Improvement Cooperative. Annual Report (USA) 33:130-131. (38988)

Nunez G., S. 1987. Seleccion de germoplasma resistente a sequia . In: Núñez G., S. (ed.). Red de leguminosas comestibles: Informe anual de investigacion del Grupo Interdisciplinario de Frijol 1987 . Instituto Nacional de Investigaciones Forestales y Agropecuarias (INIFAP), Campo Experimental Altos de Jalisco, Guadalajara, MX. p. 2-15. (39113)

O'toole, J.C.. 1975. Photosynthetic response to water stress in *Phaseolus vulgaris* L. Thesis (Ph.D.) . Cornell University, Ithaca, NY, USA. 204 p. (10881)

Paleg, Leslie Godell; Aspinall, D. (eds.). 1981. The physiology and biochemistry of drought resistance in plants . Academic Press, Sydney, AU. 492 p. (QK 870 .P49)

Pandey, S.; Bhandari, Hem Singh; Hardy, B. (eds.). 2007. Economic costs of drought and rice farmers' coping mechanisms : A cross-country comparative analysis . International Rice Research Institute (IRRI), Los Baños, Laguna, PH. 204 p. (SB 191 .R5 E43)

Petersen Junior, A.C. 1985. Effects of water stress on *Phaseolus vulgaris* L. and *P. acutifolius* A. Gray var. *latifolius* Freeman. Thesis (Ph.D.) . University of Minnesota, Minneapolis, MN, USA. 231 p. (30614)

Porto, M.C.M. 1981. Physiological mechanisms of drought tolerance in cassava (*Manihot esculenta* Crantz). Thesis (Ph.D.) . University of Arizona, Tucson, AZ, USA. 125 p. (24701)

Ramirez H., J.C.. 1983. Variabilidad en parametros de tolerancia a sequia en frejol (*Phaseolus vulgaris* L.). Tesis (Ingeniero Agrónomo) . Universidad de Concepción, Escuela de Agronomía, Chillán, CL. 55 p. (22591)

Ramirez, P.; Kelly, J.D.; Wassimi, N. 1991. Morphological and physiological characteristics associated with yield under drought in dry beans (*Phaseolus vulgaris* L.) . Bean Improvement Cooperative. Annual Report (USA) 34:116-117. (40212)

Risk management for maize farmers in drought-prone areas of Southern Africa. 1999. Proceedings of a workshop, held at Kadoma Ranch, Zimbabwe, 1-3 October 1997 . International Maize and Wheat Improvement Center (CIMMYT), México, DF, MX. 109 p. (SB 191 .M2 R57)

Rodríguez Avila, Jesús Humberto. 1984. Análisis dialélico de cruzas de arroz (*Oryza sativa* L.) para obtener resistencia a sequía. Tesis (Maestro en Ciencias Especialista en Genética) . Colegio de Postgraduados, Chapingo, MX. 224 p. (SB 191 .R5 R625)

Rosas, J.C.; Ascher, P.; Rosen, C.; Young, R.; Hibberd, M.. 1990. Agronomic performance of *Phaseolus vulgaris* x *P. acutifolius* hybrids under drought stress in Honduras . Bean Improvement Cooperative. Annual Report (USA) 33:33-34. (38915)

Rosas, J.C.; Rosen, C.; Ascher, P.; GRAHAM, P.; Estevez, C. 1990. Influence of drought and combined nitrogen on productivity of *Phaseolus vulgaris* and *P. acutifolius* . Bean Improvement Cooperative. Annual Report (USA) 33:31-32. (38913)

Samper, C.; Adams, M.W.. 1985. Geometric mean of stress and control yield as a selection criterion for drought tolerance . Bean Improvement Cooperative. Annual Report (USA) 28:53-54. (27443)

Samper, C.; Adams, M.W.. 1985. Yield potential and drought susceptibility . Bean Improvement Cooperative. Annual Report (USA) 28:51-52. (27442)

Samper, C. 1984. Effects of water stress imposed at mid-pod filling upon yield and dry matter partitioning in dry beans (*Phaseolus vulgaris* L.). Thesis (M.Sc.) . Michigan State University, East Lansing, MI, USA. 139 p. (28605)

Santacruz S., D.. 1981. Estudios fisiologicos de la hoja de yuca, *Manihot esculenta* Crantz, bajo condiciones de sequia. Tesis (Ingeniero Agrónomo) . Universidad Nacional de Colombia, Facultad de Ciencias Agropecuarias, Palmira, Valle del Cauca, CO. 141 p. (21427)

Serraj, Rachid; Bennett, J.; Hardy, B. (eds.). 2008. Drought frontiers in rice : Crop improvement for increased rainfed production . International Rice Research Institute (IRRI), Los Baños, Laguna, PH. 400 p. (SB 191 .R5 D7)

Shahsawar, Muhammad; Myers, James R.; Brown, Jack. 1994. Drought studies in dry beans (*Phaseolus vulgaris* L.) . Bean Improvement Cooperative. Annual Report (USA) 37:101-102.

Simane, Belay. 1993. Drought resistance in durum wheat. Thesis (Doctor) . Landbouwuniversiteit te Wageningen, Wageningen, NL. 159 p. (SB 191 .W5 S5)

Singh, Shree P.; Hayes, Richard; Robison, Clarence; Dennis, Marie; Powers, Erik. 2001. Response of bean (*Phaseolus vulgaris* L.) cultivars to drought stress . Bean Improvement Cooperative. Annual Report (USA) 44:45-46.

Tavitas Fuentes, Leticia. 1981. Evaluación y selección de genotipos para resistencia a sequía y determinación de proteína en el grano de arroz de secano . Universidad Autónoma del Estado de Morelos, Escuela de Ciencias Biológicas, Cuernavaca, MX. 95 p. (SB 191 .R5 T38)

Tesha, A.J.. 1983. Drought resistance in some bean varieties (*Phaseolus vulgaris*) grown in Tanzania . University of Dar es Salaam, Department of Crop Science, Morogoro, TZ. 10 p. (24947)

Thomas, C.V. 1983. Genetic, morphological and physiological studies of drought and heat resistance in tepary beans (*Phaseolus acutifolius* A. Gray) and common beans (*P. vulgaris* L.).

Thesis (Ph.D.) . University of California (UC), Riverside, CA, USA. 97 p. (27719)

Turner, Neil C.; Passioura, John B. (eds.). 1986. Plant growth, drought and salinity . Commonwealth Scientific and Industrial Research Organization (CSIRO), Canberra, AU. 201 p. (SB 185 .5 P6)

Ullery, C.H.. 1971. Plant water stress and growth. Thesis (Ph.D.) . Colorado State University (CSU), Fort Collins, CO, USA. 95 p. (9676)

Unger, P.W.. 1965. Internal water stress in bean plants. Thesis (Ph.D.) . Colorado State University (CSU), Fort Collins, CO, USA. 123 p. (32362)

Villarreal M., A.G. 1981. Resistencia a la sequia. 5. Condicionamiento a la sequia en frijol (*Phaseolus vulgaris* L.); ajustes morfologicos y osmoticos. Tesis (M.Sc.) . Colegio de Postgraduados (CP), Chapingo, MX. 151 p. (23429)

Waines, J.G.. 1983. USAID-Bean/Cowpea CRSP MSU/Davis title XII . In: Webster, B.D. (ed.). Improvement of drought and heat tolerance of disease resistant beans in semi-arid regions of Kenya. Report of research, 1982-1983 . Bean/Cowpea Collaborative Research Support Program (CRSP), East Lansing, MI, USA. p. 26-32. (22902)

Waliyar, Farid; Collette, L.; Kenmore, P.E. (eds.). 2002. Beyond the gene horizon : Sustaining agricultural productivity and enhancing livelihoods through optimization of crop and crop-associated biodiversity with emphasis on semi-arid tropical agroecosystems: Summary proceeding of a workshop 23-25 September 2002, Patancheru, India . International Crops Research Institute for the Semi-Arid Tropics (ICRISAT); Rome, IT: Food and Agriculture Organization of the United Nations (FAO), Patancheru, IN. 38 p. (S 494 .5 .S86 B49)

Walsh, John F.. 1979. Effects of salinity and drought stress on the Rhizobium-symbiosis and nitrogen fixing ability of legumes. Thesis (Ph.D. in Biology) . Utah State University, Logan, UT, USA. 87 p. (SB 203 .W3)

Webster, B.D.; Waines, J.G.; Foster, K.W.; Hall, A.E.; Mukunya, D.M.; Gathuru, E.M.; Itulya, F.; Coulson, C.. 1982. Improvement of drought and heat tolerance of disease resistant beans in the semi arid regions of Kenya . In: Bean/Cowpea Collaborative Research Support Program. 1982 Annual Report . Michigan State University (MSU), East Lansing, MI, USA. p. 64-69. (26038)

Webster, B.D.; Cory, C.L.; Sarath, G.; Greaves, M.O.. 1983. Screening of *Phaseolus vulgaris* and *Phaseolus acutifolius* for drought tolerance . In: Webster, B.D. (ed.). Improvement of drought and heat tolerance of disease resistant beans in semi-arid regions of Kenya. Report of research, 1982-1983 . Bean/Cowpea Collaborative Research Support Program (CRSP), East Lansing, MI, USA. p. 2-25. (22901)

Williams, Tom Vare. 1966. The inheritance of drought tolerance in sweet corn. Thesis (Ph.D.) . Rutgers University, New Brunswick, NJ, USA. 168 p. (SB 191 .M2 W5)

Witcombe, John R.; Parr, L.B.; Atlin, G.N. (eds.). 2002. Breeding rainfed rice for drought-prone environments : Integrating conventional and participatory plant breeding in South and Southeast Asia: Proceedings of a DFID Plant Science Research Programme/IRRI Conference, 12-15 March 2002, IRRI, Los Baños, Laguna, Philippines . Department for International Development (DFID); Centre for Arid Zone Studies (CAZS); International Rice Research Institute (IRRI), Los Baños, Laguna, PH. 94 p. (SB 191 .R5 B73)

Wright, G.C.; Redden, R.J. 1998. A germplasm evaluation for improved drought resistance in *Phaseolus vulgaris* . Bean Improvement Cooperative. Annual Report (USA) 41:5-6.

Yonts, C.D.; Nuland, D.S.; Nelson, L.A.. 1985. Dry bean response to water stress . American Society of Agricultural Engineers (ASAE), St. Joseph, MI, USA. 14 p. (37524)