

## MEJORAMIENTO GENETICO DEL FRIJOL / BEANS BREEDING

ABATE, T. 1990. Studies on genetic, cultural and insecticidal controls against the bean fly, *Ophiomya phaseoli* (Tryon) (Diptera: Agromyzidae) in Ethiopia. Thesis (Ph.D.). Simon Fraser University, Burnaby, CA. 202 p. (39213)

ACOSTA G., J.A.. 1990. Improving resistance to environmental stress in beans through genetic selection for carbohydrate partitioning, water use efficiency and efficiency of biological nitrogen fixation. Instituto Nacional de Investigaciones Forestales y Agropecuarias (INIFAP), Campo Agrícola Experimental del Valle del Guadiana, Durango, MX. 147 p. (Publicación especial no. 4) (**39268**)

Araya Villalobos, Rodolfo; Beck, Douglas P. (eds.). 1995. Taller Internacional sobre Bajo Fósforo en el Cultivo del Frijol (1995, San José, Costa Rica). Mejoramiento y manejo agronómico del frijol común (*Phaseolus vulgaris* L.) para adaptación en suelos de bajo fósforo : Memoria . Programa Cooperativo Regional de Frijol para Centroamérica, México y el Caribe (PROFRIJOL), San José, CR. 182 p. (**SB 327 .M446**)

ASOKAN, M.P. 1981. Genetical and physiological studies on effective and ineffective nodulation of some bean (*Phaseolus vulgaris* L.) cultivars. Thesis (Ph.D.) . Kansas State University (KSU), Manhattan, KS, USA. 28 p. (18541)

Attere, Frank; Zedan, H.; Ng, N.Q.; Perrino, P. (eds.). 1991. International Workshop on Crop Genetic Resources of Africa (1988, Nairobi, Kenya). Crop genetic resources of Africa : Proceedings . In: Attere, Frank; Zedan, H.; Ng, N.Q.; Perrino, P. (eds.).

ATMOWIDJOJO, S. 1978. Photosynthetic response of *Phaseolus vulgaris* L. varieties to low potassium nutrition. Thesis (Ph.D.) . Cornell University, Ithaca, NY, USA. 149 p. (18504)

AUGUSTINE, M.G.. 1962. Studies on host plant selection by the Mexican bean beetle, *Epilachna varivestis* Muls. Thesis (Ph.D.) . Ohio State University, Columbus, OH, USA. 76 p. (32374)

Becerra V., V.L. 1992. Characterization of the genetic diversity in common beans (*Phaseolus vulgaris* L.) using RFLPs markers. Thesis (M.Sc.) . University of California (UC), Davis, CA, USA. 78 p. (42649)

Beebe, Stephen E. (ed.). 1989. Taller Internacional de Mejoramiento Genético de Frijol (1988, Cali, Colombia). Temas actuales en mejoramiento genético del frijol común : Memorias . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 465 p. (Documento de trabajo no. 47) (**SB 327 .T45e**)

Beebe, Stephen E. (ed.). 1988. International Bean Breeding Workshop (1988, Cali, Colombia). Current topics in breeding of common bean : Proceedings . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 438 p. (Working document no. 47) (**SB 327 .C87**)

Beebe, S. 1978. Breeding for resistance to soil-borne pathogens of common bean (*Phaseolus vulgaris* L.). Thesis (Ph.D.) . University of Wisconsin (UW), Madison, WI, USA. 173 p. (11199)

Beebe, S.E., Rao, I.M.; Cajiao, C.; Grajales, M. 2008. Selection for drought resistance in common bean also improves yield in phosphorus limited and favorable environments. **Crop Science 48:582-592.**

Beebe, S.E.; Gonzalez, A.V.; Rengifo, J. 2000. Research on trace minerals in the common bean. Food Nutrition Bulletin 21: 387-391.

Beebe, S., Cardona, C., Diaz, O., Rodriguez, F., Mancía, E. and Ajquejay, S. 1993. Development of common bean (*Phaseolus vulgaris* L.) lines resistant to the bean pod weevil, *Apion godmani* Wagner, in Central America. **Euphytica 69:83-88.**

Blair, M.W.; Rodriguez, L.M.; Pedraza, F.; Morales, F.; Beebe, S.E. 2007. Genetic mapping of the bean golden yellow mosaic geminivirus resistance gene *bgm-1* and linkage with potyvirus resistance in common bean (*Phaseolus vulgaris* L.) **Theoretical and Applied Genetics 114: 261-271.**

Blair, M.W., Fregene, M.A.; Beebe, S.E.; Ceballos, H. 2007. Marker-assisted selection in common beans and cassava. In: Guimaraes, Elcio Perpétuo; Ruane, John; Scherf, Beate D.; Sonnino, Andrea; Dargie, James D. (eds.). Marker-assisted selection: Current status and future perspectives in crops, livestock, forestry and fish . Organización de las Naciones Unidas para la Agricultura y la Alimentación (FAO), Rome, IT. p. 81-115.

Blair, M.W.; Astudillo R., C.; Beebe, S.E.; Roa V., J.I.; Kimani, P.M.; Chirwa, R. 2009. Biofortification breeding of common bean (*Phaseolus vulgaris* L.) . Biozoom (Denmark) (1):25-28.

Blair MW.; Torres, M.M.; Pedraza, F.; Giraldo, M.C.; Buendía, H.F.; Hurtado, N. 2009. Development of microsatellite markers for common bean (*Phaseolus vulgaris* L.) based on screening of non-enriched small insert genomic libraries. Genome 52(9):772-782.

BOOMSTRA, A.G.. 1975. Breeding for resistance to Fusarium root rot in beans (*Phaseolus vulgaris* L.). Thesis . University of Wisconsin (UW), Madison, WI, USA. 121 p. (14760)

BRAVO-MARTINEZ, A.. 1975. Characterization of high yielding dry bean (*Phaseolus vulgaris* L.) cultivars by simplified growth analysis. Thesis (Ph.D.) . Cornell University, Ithaca, NY, USA. 207 p. (1352)

Buendia C., H.F.; Beebe, S.E.; M.W. Blair, M.W.; Teran S., H.; Pedraza G.,F. 2003. Identificación de marcadores moleculares asociados a genes de rendimiento en una población RC2F3.7 de frijol común *Phaseolus vulgaris* L. (DOR390 x G19892). Fitotecnia Colombiana 3(1):57-64.

CABRAL, J.B.. 1985. Obtencao de hibrido interespecifico de feijao (*Phaseolus*) in vitro. Tesis (Mestrado) . Universidade de Sao Paulo (USP), Escola Superior de Agricultura Luiz de Queiroz (ESALQ), Piracicaba, BR. 71 p. (35525)

CARDENAS R., F.A. 1960. Genetic systems for reaction of field beans (*Phaseolus vulgaris* L.) to infection by three races of *Colletotrichum lindemuthianum*. Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 61 p. (31900)

CHEAH, C.H.; Hall, Clare. 1973. Evaluation of the genetic diversity in varieties of *Phaseolus vulgaris* (L.) Savi. Thesis (Ph.D.) . University of Cambridge, Cambridge, GB. 181 p. (SB 327 .C53)

COSTA, G.C. DA. 1952. Factors causing varietal differences in germination of the common bean (*Phaseolus vulgaris*). Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 81 p. (32303)

DAVIS, J.H.C. 1976. Exploitation of variation in small seeded varieties of *Phaseolus vulgaris* L. Thesis (Ph.D.). University of Cambridge, Magdalene College, Cambridge, GB. 208 p. (33594)

Dessert, M. (ed.). 1989. Trabajos presentados. Programa Cooperativo Regional de Frijol para Centroamérica, México y el Caribe (PROFRIJOL), San José, CR. 193 p. (Documento no. 89-3) (37656)

Evenson, Robert E.; Gollin, Douglas (eds.). 2003. Crop variety improvement and its effect on productivity : The impact of international agricultural research . CABI Publishing, Wallingford, GB. 522 p. (SB 185 .7 C7)

Fuccillo, Dominic A.; Sears, Linda; Stapleton, Paul (eds.). 1997. Biodiversity in trust :

Conservation and use of plant genetic resources in CGIAR centres . Cambridge University Press, Cambridge, GB. 371 p. (SB 123 .3 B54)

Gepts, Paul L. (ed.). 1988. Genetic resources of Phaseolus beans : Their maintenance, domestication, evolution and utilization . Kluwer Academic Publishers, Dordrecht, NL; Boston, MA, USA; London, GB. 613 p. (**SB 327 .G45**)

Gepts, P. 1988. A middle American and an Andean common bean gene pool. In: Gepts, P. (ed.). Genetic resources of Phaseolus beans: Their maintenance, domestication, evolution, and utilization. Kluwer Academic Publishers, Dordrecht, NL; Boston, MA, USA; London, GB. p. 375-390.

Graham, R.; Senadhira, D.; Beebe, S.; Iglesias, C.; Monasterio, I. 1999. Breeding for micronutrient density in edible portions of staple food crops: conventional approaches. Field Crops Research 60: 57-80.

GUAZZELLI, R.J.. 1976. Competicao intergenotipica em feijao (Phaseolus vulgaris L.): estimacao de parametros geneticos. Tesis (Ph.D.) . Universidade de Sao Paulo (USP), Escola Superior de Agricultura Luiz de Queiroz (ESALQ), Piracicaba, BR. 90 p. (1344)

Haley, S.D.; Afanador, L.; Kelly, J.D. 1994. Identification and application of a random amplified polymorphic DNA marker for the I gene (potyvirus resistance) in common bean. **Phytopathology 84(2):157-160.**

HWANG, J.K.. 1978. Interspecific hybridization between Phaseolus vulgaris L. and Phaseolus acutifolius A. Gray. Thesis (Ph.D.) . Kansas State University (KSU), Manhattan, KS, USA. 33 p. (**22915**)

IBRAIM, A.M. 1974. Interspecific hybridization between Phaseolus vulgaris L. and Phaseolus coccineus Lam. Thesis (Ph.D.) . University of Nebraska, Lincoln, NE, USA. 132 p. (**7512**)

International Workshop on Crop Genetic Resources of Africa (1988, Nairobi, Kenya). Crop genetic resources of Africa: Proceedings . International Board for Plant Genetic Resources (IBPGR); Nairobi, KE: United Nations Environment Programme (UNEP), Rome, IT. 2 v. (SB 123 .3 C76)

JACOBS, T.W.. 1981 Development of somatic cell genetics systems in Vigna radiata and Phaseolus vulgaris. Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 222 p. (19843)

JAKOBSEN, H.. 1980. Bean cultivar trials at Uyole Agricultural Centre in 1980 . Uyole

Agricultural Centre, Mbeya, TZ. 4 p. (24909)

KELLY, J.D. 1974. Genetic modification of protein quantity and quality in beans *Phaseolus vulgaris* L. Thesis (Ph.D.) . University of Wisconsin (UW), Madison, WI, USA. 79 p. (1351)

Kelly, J.D.; M.W. Adams. 1987. Phenotypic recurrent selection in ideotype breeding of pinto beans. *Euphytica* 36:69-80.

Kelly, J.D.; Gepts, P.; Miklas, P.N.; Coyne, D.P. 2003. Tagging and mapping of genes and QTL and molecular-marker assisted selection for traits of economic importance in bean and cowpea. *Field Crops Research* 82:135-154.

LEIVA R., O.R.. 1977. Herencia y mejoramiento de la precocidad del frijol (*Phaseolus vulgaris* L.) en el tropico. Tesis (M.Sc.) . Universidad Nacional de Colombia; Instituto Colombiano Agropecuario (ICA), Bogotá, CO. 80 p. (9467)

LEONARD, M.F. 1985. Embryo culture of *Phaseolus vulgaris* L. and *Phaseolus vulgaris* L. x *Phaseolus lunatus* L. interspecific hybrids. Thesis (M.Sc.) . Iowa State University (ISU), Ames, IA, USA. 42 p. (28885)

LEOROY, W.H. 1970. Differential response among bean varieties (*Phaseolus vulgaris* L.) to nitrogen and phosphorus. Thesis (M.Sc.). Michigan State University (MSU), Department of Crop and Soil Sciences, East Lansing, MI, USA. 91 p. (5272)

López Genes, Marceliano; Fernández O., Fernando O.; Schoonhoven, Aart van (eds.). 1985. Frijol : Investigación y producción . Programa de las Naciones Unidas (PNUD); Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 417 p. (**SB 327 .F7**)

LYMAN, J.M. 1980. Adaptation and breeding studies on the lima bean, *Phaseolus lunatus* L., as a food legume for Latin America. Thesis (Ph.D.) . Cornell University, Ithaca, NY, USA. 257 p. (16925)

Mamo, Teshale Assefa. 2010. Selection for drought and bruchid resistance of common bean populations. Thesis (Doctoral) . University of Padova, Padova, IT. 111 p. (**SB 327 .M366**)

Martin, G.B.. 1984. Genetic diversity of bean landraces in northern Malawi. Thesis (M.Sc.) . Michigan State University, East Lansing, MI, USA. 169 p. (**24865**)

MASAYA, P.N. 1978. Genetic and environmental control of flowering in *Phaseolus vulgaris* L. Thesis (Ph.D.) . Cornell University, Ithaca, NY, USA. 171 p. (**29996**)

MCFERSON, J.R.. 1983. Genetic and breeding studies of dinitrogen fixation in common bean (*Phaseolus vulgaris* L.). Thesis (Ph.D.) . University of Wisconsin (UW), Madison, WI, USA. 158 p. (22914)

Miklas, P.N.; Delome, R.; Stone, V.; Daly, M.J.; Stavely, J.R. Steadman, J.R.; Bassett, M.J.; Beaver, J.S. 2000. Bacterial, fungal, and viral disease resistance loci mapped in a recombinant inbred common bean population ('Dorado'/XAN 176). **Journal of the American Society for Horticultural Science** 125(4):476-481.

Mok, D.W.S.; Mok, M.C.; Rabakoarihanta, A. 1978. Interspecific hybridization of *Phaseolus vulgaris* with *Phaseolus lunatus* and *Phaseolus acutifolius*. **Theoretical and Applied Genetics** 52 (5): 209-215.

Morales, Francisco José (ed.). 1994. El mosaico dorado del frijol : Avances de investigación = Bean golden mosaic: Research advances 1994 . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 193 p. (SB 327 .M673)

MSUKU, W.A.B.. 1984. Pathologic variation in Malawian isolates of *Pseudomonas syringae* pv. *phaseolicola* (Burk.) Young, Dye, and Wilkie, and implications for breeding disease resistant beans. Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 99 p. (24862)

Nguyen, Henry T.; Blum, Abraham (eds.). 2004. Physiology and biotechnology integration for plant breeding. Dekker; London, GB : Taylor & Francis, New York, NY, USA. 628 p. (SB 123 .P47)

Nienhuis, James; Singh, Shree P. 1983. Diallel analyses and correlations among yield, yield components and architectural traits in bush beans. Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 23 p. (Seminarios internos) CIAT (Colombia) 000026)

Nienhuis, J.; Singh, S.P.1986. Genetics of seed yield and its components in common bean (*Phaseolus vulgaris* L.) of Middle American origin. I. General combining ability. **Plant Breeding** 101(2):143-154.

Nietsche, S.; Borém, A.; Carvalho, G.A.; Rocha, R.C.; Paula, T.J.; Barros, E.G. de; Moreira, M.A. 2000. RAPD and SCAR markers linked to a gene conferring resistance to angular leaf spot in common bean. **Journal of Phytopathology** 148(2):117-121.

NUILA, L.R. 1979. Informe final de adiestramiento en el programa de mejoramiento de frijol . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 24 p. (4703)

OSBORN, T.C. 1984. Genetic control of seed lectins in the common bean (*Phaseolus vulgaris* L.). Thesis (Ph.D.). University of Wisconsin (UW), Madison, WI, USA. 132 p. (30605)

PADDA, D.S. 1968. Physiological genetic studies of photoperiodic responses in beans (*Phaseolus vulgaris* L.). Thesis (Ph.D.) . Cornell University, Ithaca, NY, USA. 97 p. (5712)  
Pastor-Corrales M.A.; Jara, C.; Singh, S.P. 1998. Pathogenic variation in, sources of, and breeding for resistance to *Phaeoisariopsis griseola* causing angular leaf spot in common bean. **Euphytica** **103(2):161-171**.

Paul, K.B. 1988. High yielding climbing bean varieties for the Northern highlands of Rwanda . University of Arkansas, Kigali, RW. 12 p. (39292)

POLSON, D.E. 1968. A physiologic-genetic study of the differential response of navy beans (*Phaseolus vulgaris* L.) to zinc. Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 151 p. (32365)

Porter, Wayne Melvin. 1972. Genetic control of protein and sulfur contents in dry bean, *Phaseolus vulgaris* L. Thesis (Ph.D.). Purdue University, Lafayette, IN, USA. 55 p. (SB 327 .P6)

Progreso en la investigacion y produccion del frijol comun (*Phaseolus vulgaris* L.). 1989. Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 462 p. (Publicación CIAT no. 23) (37306)

[http://books.google.com.co/books?id=w\\_9nA\\_-kO2IC&printsec=frontcover&source=gbs\\_v2\\_summary\\_r&cad=0#v=onepage&q=&f=false](http://books.google.com.co/books?id=w_9nA_-kO2IC&printsec=frontcover&source=gbs_v2_summary_r&cad=0#v=onepage&q=&f=false)

Reunión de Leguminosas de Grano de la Zona Andina Releza V (5, 1995, Ibarra, Ecuador). Resúmenes : [Trabajos presentados]. 1995. Instituto Nacional Autónomo de Investigaciones Agropecuarias (INIAP), Programa Nacional de Leguminosas, Quito, EC. 147 p. (SB 188 .2 R44 1995)

Reunión de Leguminosas de Grano de la Zona Andina RELEZA I (1, 1990, Quito, Ecuador). Resúmenes. 1990. Instituto Nacional Autónomo de Investigaciones Agropecuarias (INIAP), Quito, EC. 111 p. (SB 188 .2 R44 1990)

Ribeiro Júnior, Walter Quadros. 1996. Genetics and breeding for nitrogen fixation in common bean (*Phaseolus vulgaris*). Thesis (Ph.D.) . Dundee University, Dundee, GB. 196 p. (SB 327 .R52)

Roca, William M.; Mayer, Jorge Edgard; Pastor Corrales, Marcial Antonio; Tohme M., Joseph (eds.). 1994. International Scientific Meeting Phaseolus Beans Advanced Biotechnology Research Network (2, 1993, Cali, Colombia). Phaseolus Beans Advanced Biotechnology

Research Network : Proceedings . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 431 p. (**SB 327 .P5**)

ROMERO-ANDREAS, J. 1984. Genetic variability in the seed phaseolin of nondomesticated bean (*Phaseolus vulgaris* L. var *aborigeneus*) and the inheritance and physiological effects of arcelin, a novel seed protein. Thesis (Ph.D.) . University of Wisconsin (UW), Madison, WI, USA. 168 p. (**27321**)

SAAM, M.M.A. 1983. Clonal propagation of the common bean, *Phaseolus vulgaris* L., from shoot-tips in tissue culture. Thesis (M.Sc.). Michigan State University, East Lansing, MI, USA. 110 p. (36249)

Schneider, K.A.; Brothers, M.E.; Kelly, J.D.1997. Marker-assisted selection to improve drought tolerance in common bean. **Crop Science 37(1):51-60.**

Schoonhoven, A.V.; Pastor-Corrales, M.A. (eds). 1987. Standard system for the evaluation of bean germplasm. Centro Internacional de Agricultura Tropical (CIAT). Cali, CO. 53p. (**29800**)

Schoonhoven, Aart van; Voysest Voysest, Oswaldo (eds.). 1991. Common beans : Research for crop improvement . CAB International; Cali, CO : Centro Internacional de Agricultura Tropical (CIAT), Oxon, GB. 980 p. (**SB 327 .C85**)

Shonnard, Gisela Christine. 1991. Genetics of and selection for heat tolerance during reproductive development in common beans . University of California, Davis, CA, USA. 132 p. (SB 327 .S569)

Singh, Shree P. (ed.). 1999. Common bean improvement in the twenty-first century . Kluwer Academic Publishers, Dordrecht, NL; Boston, MA, USA. 405 p. (Developments in plant breeding v. 7) (**SB 123 .C66**)

Singh, Shree P.; Voysest V., Oswaldo (eds.). 1997. Taller de Mejoramiento de Frijol para el Siglo XXI: Bases para una Estrategia para América Latina (1996, Cali, Colombia). [Trabajos presentados] . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 559 p. (**SB 327 .S564**)

Singh, S.P. 1995. Selection for water-stress tolerance in interracial populations of common bean. **Crop Science 35(1): 118-124.**

Singh, S.P., Gepts, P.; Debouck, D.G. 1991. Races of common bean (*Phaseolus vulgaris*, Fabaceae). **Economic Botany 45(3):379-396.**



Smithson, J.B. (ed.). 1989. Workshop on Bean Varietal Improvement in Africa (1989, Maseru, Lesotho). Proceedings. Southern Africa Development Coordination Conference (SADCC); Centro Internacional de Agricultura Tropical (CIAT), Regional Programme on Beans in Southern Africa, Arusha, TZ. 261 p. (CIAT African workshop series no. 4) **(38616)**

Smithson, J.B. 1990. First African Bean Yield and Adaptation Nursery (AFBYAN I): Part. 1. Performance in individual environments. Southern Africa Development Coordination Conference (SADCC); Centro Internacional de Agricultura Tropical (CIAT), Regional Programme on Beans in Southern Africa, Arusha, TZ. 50 p. (Occasional publications series no. 3A) (39028)

Smithson, James Brady; Grisley, William. 1992. First African Bean Yield and Adaptation (AFBYAN I) : Part II. Performance across environments. Centro Internacional de Agricultura Tropical (CIAT), Network on Bean Research in Africa, Dar es Salaam, TZ. 55 p. (Occasional publications series no. 3B) CIAT (Colombia) 000181

Smithson, J.B. 1990. Workshop on Bean Research in Eastern Africa (2, 1990, Nairobi, Kenya). Proceedings . International Centre of Tropical Agriculture (CIAT), Regional Programme on Beans in Eastern Africa, Debre Zeit, ET. 412 p. (CIAT African workshop series no. 7) (40124)

Smithson, James Brady (ed.). 1993. Multidisciplinary Workshop on Bean Research in Eastern Africa (3, 1993, Thika, Kenya). Proceedings . Centro Internacional de Agricultura Tropical (CIAT), Network on Bean Research in Africa, Kampala, UG. 371 p. (CIAT African workshop series no. 28) **(SB 327 .P767)**

Smithson, James Brady; Gridley, Howard Eric; Youngquist, W.. [1994] Second African bean yield and adaptation nursery (AFBYAN II) . Centro Internacional de Agricultura Tropical (CIAT), Network on Bean Research in Africa, Arusha, TZ. 131 p. (CIAT African occasional publications series no. 14) **(SB 327 .S65)**

STANG, J.R. 1976. Responses of bush snap bean cultivars (*Phaseolus vulgaris* L.) to plant population densities. Thesis (Ph.D.). Oregon State University, Corvallis, OR, USA. 141 p. (1353)

SULLIVAN, J.G. 1981. Recurrent selection for increased seed yield and percentage seed protein in the common bean (*Phaseolus vulgaris* L.) using a selection index; and isolation and analysis of major genes controlling phaseolin. Thesis (Ph.D.) . University of Wisconsin (UW), Madison, WI, USA. 114 p. (19847)

Temple, Steven Ray; Smithson, James Brady; Arregocés, Oscar; Medina, Luz María (eds.).

1987. The Crossing of beans [tutorial unit] : Study guide . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 1 carrusel, 106 diapositivas : col.; 1 casete (25 min.) + guía de estudio (49 p. :ilus.) + guión (17 p.) (O4EB-08.02) (SB 327 .C75)

Teixeira, Sônia Milagres; Thung, Michael D (eds.). 1994. Sócio-economia e tecnologias de produção : O caso das cultivares melhoradas de feijao (*Phaseolus vulgaris* L.) . Empresa Brasileira de Pesquisa Agropecuária (EMBRAPA), Brasília, BR. 186 p. (SB 327 .S62)

Teran, H.; Singh, S.P. 2002. Selection for drought resistance in early generations of common bean populations. **Canadian Journal of Plant Science** 82:491-497.

THOMAS, C.V. 1983. Genetic, morphological and physiological studies of drought and heat resistance in tepary beans (*Phaseolus acutifolius* A. Gray) and common beans (*P. vulgaris* L.). Thesis (Ph.D.) . University of California (UC), Riverside, CA, USA. 97 p. (27719)

Tohme, J.M. 1986. Relationships between morphological and physiological characteristics and yield of dry bean (*Phaseolus vulgaris* L.) cultivars differing in their plant architecture. Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 111 p. (37537)

TOLLA, G.E. 1978. Effect of post-bloom nutrient applications and recurrent selection on seed yield and seed protein in common bean (*Phaseolus vulgaris* L.). Thesis (Ph.D.) . University of Wisconsin (UW), Madison, WI, USA. 73 p. (11700)

TONGUTHAISRI, T.. 1976. Genetic analysis of morphological characteristics of field bean (*Phaseolus vulgaris* L.) as expressed in a diallel cross. Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 201 p. (4461)

Valladolid Chiroque, Angel R.; Voysest Voysest, Oswaldo. 2006. Clases comerciales de leguminosas de grano = Market classes of food grain legumes : Catálogo para orientar la comercialización en los mercados nacionales e internacionales = Catalog for use in marketing pulses in national and international markets . Promenestras Text, Chiclayo, PE. 105 p. (SB 203 .3 .P4 V3)

Voysest Voysest, Oswaldo. 1983. Variedades de frijol en América Latina y su origen. Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 87 p. (SB 327 .V67)  
<http://books.google.com/books?id=I09UPyLy1YC&pg=PP6&dq=centro+internacional+de+agricultura+tropical&lr=>

VOYSEST, O.; Garcia, J.; CRESPO, J.; MARTINEZ, N.; SANTACRUZ, D. 1985. Vivero Internacional de Rendimiento y Adaptación de Frijol (*Phaseolus vulgaris* L.) IBYAN 1985: Frijol arbustivo . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 614 p. (3480)

VOYSEST, O.; Garcia, J. (comps.). 1988. Vivero Internacional de Rendimiento y Adaptacion de Frijol (*Phaseolus vulgaris* L.) IBYAN 1987 = International Bean Yield and Adaptation Nursery (*Phaseolus vulgaris* L.): Frijol arbustivo (bush beans) . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 628 p. (40307)

Voysesst Voysesst, Oswaldo (comp.). 2000. An ancestral crop moves toward modernity : Transitional period: 1988-1999: Final report of PROFRIZA the regional bean project for the Andean zone . Proyecto Regional de Frijol para la Zona Andina (PROFRIZA), Cali, CO. 74 p. (SB 327 .A63)

Voysesst Voysesst, Oswaldo. 2000. Mejoramiento genético del frijol (*Phaseolus vulgaris* L.) : Legado de variedades de América Latina 1930-1999 . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 195 p. (Publicación CIAT no. 321) (SB 327 .V69)

[http://books.google.com.co/books?id=VzxXI2TL9YcC&printsec=frontcover&source=gbs\\_v2\\_summary\\_r&cad=0#v=onepage&q=&f=false](http://books.google.com.co/books?id=VzxXI2TL9YcC&printsec=frontcover&source=gbs_v2_summary_r&cad=0#v=onepage&q=&f=false)

WASSIMI, N.N. 1985. Genetic analyses of cooking time, nutritional, and culinary quality in dry beans (*Phaseolus vulgaris* L.). Thesis (Ph.D.) . Michigan State University, East Lansing, MI, USA. 198 p. (28603)

White, Jeffrey W.; Hoogenboom, Gerrit; Ibarra Pérez, Francisco José; Singh, Shree P. (eds.). 1988. International Bean Drought Workshop = Taller Internacional sobre Sequía en Frijol (1987, Cali, Colombia). Research on drought tolerance in common bean : Proceedings = Memorias . Centro Internacional de Agricultura Tropical (CIAT), Cali, CO. 298 p. (Documento de trabajo = Working document no. 41) (SB 327 .R38)

White, J.W.; Ochoa M., R.; Ibarra P., F.J.; Singh, S.P. 1994. Inheritance of seed yield, maturity and seed weight of common bean (*Phaseolus vulgaris*) under semi-arid rainfed conditions. **Journal of Agricultural Science (Cambridge) 122(2):265-273.**

ZIMMERMANN, M.J. DE O. 1983. Genetic studies on common bean in sole crop and intercropped with maize. Thesis (Ph.D.) . University of California (UC), Riverside, CA, USA. 94 p. (22924)