

Index

Page numbers in **bold** refer to figures and tables

- abscisic acid 83–**84**
- accidental introduction, pests 210
- acetone cyanohydrin break down **291**
- acetylated starches 313
- acid modified starches 313
- acid soils 137, 138–139
- adhesives 309–310
- Advanced Agricultural Institutes (ARIs) 179
- Africa 41–53, 132, 151–153, 242–252, **288**
- African cassava mosaic disease (ACMD) 152, 153, 158, 168
- African cassava mosaic virus* (ACMV) 194–195, 245, 247
- aggregate production 23–24
- agricultural origins 8–9
- Agrobacterium tumefaciens* 162, 188, 191, 224, 266
- Agrobacterium*-mediated gene transfer 162, 188, 191, 224
- agroforestry systems 108–109
- agronomic characteristics 67–72, 183–185
- agronomy 56, 91–110
- alcohol 314
- Aleurotrachelus socialis* 185, **220**
- Allele's hypothesis **5**
- alley cropping **108**
- alpha beta esterase system 180
- Amazon 6–7, 11
- Amazon region 41
- Americas breeding strategy 153–154
- amplified fragment length polymorphism (AFLP) markers 180–183, 186, 220
- Anastrepha manihoti* 226, **227**
- Anastrepha pickeli* 226, **227**
- Andean hillside systems 32
- angular leaf spot 266
- animal feed
 - imports 316
 - per capita consumption **282**
 - technology 39
 - types 24–25, 56, 59, 62, 63, 306–307
- anthracnose 269–271
- antibiotic selection 190–191, 192
- Apoanagyrus lopezi* 46
- Arawak tribes 11, 17, 167
- area harvested
 - Asia 56–57, **58**
 - India 61
 - Indonesia 61
 - Oceania 63, **64**
 - Philippines 62
 - rising 24
 - Sri Lanka 63
 - Vietnam 62
 - world production 56–**57**
- Armillaria* sp. 273

- arthropod pests 209–230
 artificial seeds 162
 ash disease 269
 Asia 55–**58**, **60**, 154, 252–254
 Asia-Pacific region, industry 58–65
 Australia 65
- Bacillus thuringiensis* (Bt) 195, 223
 backcross hybrids 158, 159
 bacterial artificial chromosome (BAC) library
 185–186
 bacterial diseases 261–266
 see also diseases
 bacterial necrosis 266
 bacterium 195, 263
Baculoviridae, viruses 222–223
 bakery products 294
 base populations 152
 basic resources, efficient use breeding
 161–162
Bemisia tabaci 194, 218–219, 246–247, 253,
 255–256
 see also whiteflies
Bemisia tuberculata 218, 241
 BIBAC system 186
 biochemical tests **5**
 biocontrol *see also* control measures; diseases;
 integrated pest management (IPM);
 pests; viruses
 biocontrol systems 35
 biodegradable plastics 197, 314
 bioecology damage and management
 213–226
 biological control
 agents 219, 222
 cassava mealybug 217–218
 classical 52, 229
 Cyrtomenus bergi 225
 grasshoppers 228
 natural 229
 pests 213, 215
 programme 46
 whitefly 220–221
 biopesticides 229
 biosynthesis genes 186–187
 biosynthetic pathway, PHD 187
 biosystemic crosses 5
 biotechnology 162, 179–197
 biotechnology network 30
 biotechnology tools 229–230
 Bogor Research Institute 61
- boron 138
 botanical origins 1–6
 botany 67–85
Botryodiplodia stem rot 271
 branching **150**, 155, **156**
 Brazil
 aggregate variations 23
 cassava origins 11
 domestication **12**
 NPK trials 132
 output 17–19
 starch **25**
 starch production 25–27
 studies on taxonomy 1
 varieties 158
 Brazilian Food Industry Association (ABIA) 27
 bread 304
 breeding
 crop improvement 149–162
 high content of protein 158
 high yield breeding 154–156
 low cyanogenic glucosides 157–158
 network 30
 objectives 34
 to overcome physiological deterioration
 286
 resistance breeding 158–161
 root quality 156–157
 strategy 151–154
 breeding research 149
 breeding strategy 151, 153, 154
 brown leaf spot **266–267**
 bulk segregant analysis (BSA) 184, 186,
 220
 burrower bug 212, 224–226
- calcium 137
 Candolle, Alphonse de (1806–1893) 3
 canopy establishment 74
 Cargill 25
 Carib Indians 17
 Caribbean 17–39
 carotenoids 196–197
cassabe 20, 316
 cassava bacterial blight (CBB)
 genetic mapping 184–185
 importance 261–265
 planting material quarantine 265
 resistance 47, 181, 265
 resistance breeding 153, 159–160
 symptoms 264–265

- Cassava Biotechnology Network (CBN) 30, 179
- Cassava Breeding Network 30
- cassava brown streak disease (CBSD) 52, 158–159, 249–252
- Cassava common mosaic virus* (CsCMV) 194
- cassava common mosaic disease 238–239
- cassava cv. Llanera **134**
- cassava mosaic disease (CMD)
- aetiology 245
 - distribution 243–245, 252–253
 - epidemic *ix*
 - host plant resistance mapping 184
 - prevalence 243–245
 - resistance 47
 - resistance breeding 158–159
 - resistance to 181
 - surveys **244**
 - transmission by whitefly 218, 253
 - yield losses 194
- cassava mosaic geminiviruses (CMGs) 158, 194, 243
- cassava mosaic viruses (CMVs) 246–247
- Cassava R&D Network 30
- Cassava Technology Transfer Program (CTTP) 61
- cassava vein mosaic disease 239–240
- Cassava virus X* 242
- cationic starches 313
- cell division **76**
- cell expansion **76**
- Central Tuber Crops Research Institute (CTCRI) 61, 149
- Centro Internacional de Agricultura Tropical (CIAT)
- germplasm collections 30, 32, 33, 67
 - mandate for cassava research *xi*, 41, 168–169
 - mite resistance research 213–214
 - network development 29–30
 - new technology testing 20
 - programmes 28, 35
 - research and extension activities 60–61
- Cercospora* spp. 266–**268**
- Cercosporidium* sp. **267, 268, 269**
- Cerrado vegetation 6–7
- characteristics 52, 67–72, **75**, 183–185
- see also* habit; traits
- characters 183–184
- chemical control
- grasshoppers 228
 - weeds 97–98
- Chilomina clarkei* 195
- chimerics 190
- China 61–62, 132
- chipas* 26
- chips
- animal feed 24–25, 56, 59, 62, 63, 306–307
 - fried 303
- citric acid 314, 316
- clamp silo 285
- clones
- cassava genes 186–187
 - disease resistance 159–160
 - fertility 150
 - resistant 47, 159–160, **220**
 - shoot-tip cultures 172–173
 - see also* crosses; hybrids; interspecific crosses
- clones and seeds 248
- Cochliobolus lunatus* 271–272
- co-evolved pests 210–211
- Collaborative Study of Cassava in Africa (COSCA) 43, 47, 286–287
- Colletotrichum* sp. **270, 271**
- Colombia 19–20, 32, 121, 132
- commercialization 36, 293–294
- companion crops 47
- compost 139
- Compound I, enzymatic breakdown **291**
- Compound III **291**
- computer modelling 155–156
- conservation 32, 105–106, 167–175
- conservation of genetic resources 174
- Consortio Latin-Americano y del Caribe de Apoyo a la Investigación y Desarrollo de la Yucca 20, 30
- Consultative Group for International Research (CGIAR) 168
- consumption 281–**282**
- see also* human consumption
- consumption patterns 37
- contamination 292–293
- control measures
- cultural 219
 - integrated control strategies 264
 - intercropping 219, 229
 - soils degradation 109–110
 - soils erosion 32
 - see also* biocontrol; diseases; integrated pest management (IPM); pests; viruses; weeds
- convenience foods 27

- Convention on Biological Diversity (CBD) 169
- copper 138
- cottage scale starch extraction 307
- cotyledon explants 192–193
- country of origin **28, 29**
- cover crops 106–107, 140
- cowpea **103, 104**
- CPC International/Refinação de Milho Brasil 25
- cradle of domestication 1, 6–7, 8, **9, 11**
- crate storage 285
- cropping cycle 43, 45
- cropping practices 248
- cropping systems 56, 59, 91–110
- crops
 - cover 106–107
 - damage 212–213
 - importance **44**
 - improvement 149–162
 - loss, cassava mosaic disease (CMD) 246
 - management 33–36
 - physiology 67–85
 - production systems 47–49
 - residue management **123**
 - rotation **108, 109–110, 264**
 - utilization 49–50, 281
- crosses
 - biosystemic 5
 - evaluation 154
 - exotic germplasm 151
 - intercrossing 248
 - interspecific **7, 154, 181, 248, 265**
 - polycross design 150
 - results **6, 7**
 - see also* clones; hybrids
- cross-linked starches 313
- cross-pollination **151**
- cryopreservation 173–174
- Cuba 20
- culinary uses 301–305
- cultivars 32–33, 61, **152–153**
- cultivation areas 17
- cultural control 219
- cultural practices 229
- cultures 169
- cyanide concentration **78**
- cyanogenesis 49, 195–196
- cyanogenic glucosides 157–158, 186–187, 283, 290–292
- see also* toxicity
- cyanogenic potential 19
- cyanogens 162, 290–**292**
- Cyrtomenus bergi* 212, 224–225
- cytotaxonomy, *Manihot* genus 149–150
- daylength effect on dry matter distribution 80–**81**
- demand-driven approach 295–296
- demand-side interventions 37–39
- descriptors, morphological 68
- dextrin 310
- dextrose 310–311
- dietary energy 49, **282**
- dietary nutritional contribution 282–283
- dietary potential 100
- dietary role 20
- diffuse leaf spot 268, **269**
- diseases
 - bacterial diseases 261–266
 - control measures 247–248, 251–252, 254–255
 - fungal diseases 160, 266–273
 - genetic mapping 184–185
 - host plant resistance mapping 184
 - nematodes 261, 273–274
 - new sources of resistance to 52
 - pathogens associated with **262**
 - resistance 155–156, 159–160, 194–195
 - yield losses **212**
 - see also* biocontrol; control measures; pests
- disjunct species 168
- distribution
 - arthropod pests **211**
 - dry matter **81, 117**
 - labour **290**
 - Manihot* sp. 167–168
 - nutrient 115–118, **117**
 - product **289**
- DNA 162, 169, 180, 186, 188
- domestication 1, 6–7, 8–9, 11, **12, 167**
- dormancy 74–75
- dried cassava 57, 292–293, 308–309
- drought tolerance 83, 84–85
- dry matter **73, 76–77, 81, 117, 156–157**
- dry root rot 272
- dry weight **73**
- drying 287–288
- early bulking 185
- East Africa Root Crops Research Network (EARRNET) 169

- East African cassava mosaic virus (EACMV)
transmission studies 247
- Ecologically Sustainable Cassava Plant
Protection 52
- ecosystem-specific pests 52
- edapho-climatic zones (ECZ) 153–154, 181
- effluents 315–316
- egg predators 222
- EMBRAPA collection 67
- emergence of sprouting 72, **94**
- environmental concerns 38
- environmental effects 79–85
- environmental resources 31–32
- enzymatic breakdown **291**
- enzymes 78–79, 195, 291
- epidemiology, cassava mosaic disease (CMD)
247, 253–254
- Erinmyis ello* 195, 210, 221–223
- erosion 32, 55–56, 59, 118–**120**
- Erwinia caratovora* 226, 266
- European Community (EC) favourable price and
quota policies 60
- European Community (EC) imports 27, **28**
- ex situ* conservation methods, genetic resources
169, 174–175
- exports
Asia **60**
Australia and New Zealand 64
dried cassava 57
opportunities, Africa 49
products 27–28
starch 57, 61
world **57, 59**
see also imports; markets
- expressed sequence tags (ESTs) 183
- extension work 51, 61, 62, 64, 65
- extrusion cooking 303–305
- fallow systems 43, 45
- FAO/IBPGR technical guidelines for safe
movement of cassava germplasm
265–266
- farina* 37, 302
- farinha de mandioca* 294
- favourable price and quota policies, European
Community (EC) 60
- feed *see* animal feed
- fermentation 288, **290, 292**
- fermented cassava starch 294
- fermented commodity chemicals from cassava
starch 314
- fermented foods and drinks 304
- fertilization 115–141
- fertilizer
application **122, 123, 134**
chemical 130, 132
cost *ix*
methods 35
see also NPK; nutrients
- Field Crop Research centre, Rayong Thailand
154
- field experiments 129–130
- field genebanks **170, 171**
- field production 47–49
- Fiji 64
- fingerprinting 180
- firefly luciferase 190–192
- flour
extrusion cooking 303–304
quality 10, 38
sour 304
starchy, extraction 307
substitute 24, 294
tape/flour tape 305
see also wheat flour substitute
- flow diagram
dextrin **310**
high fructose syrup **312**
sago **311**
- flower behaviour 150–151
- flowering 77
- flowers 70–71
- Fomes lignosus* 272
- food
cassava production for 62
convenience 27
fermented foods and drinks 304
frozen food markets 27
per capita consumption **282**
processed *ix*
snack foods 303
types 301–305
see also human consumption
- food security crop *ix*
- food security role 49
- foreign exchange earner, potential 50
- Frameworks For Action (FFA) 51
- Frankliniella williamsi* 226, **227**
- freezing 286
- fresh cassava **28, 29, 283–286, 301**
see also roots, fresh
- friable embryogenic callus (FEC) 190–191
- fried chips 303

- frogskin disease 218, 240–241, 255
 frozen food markets 27
 fructose syrup production flow diagram **312**
 fruit 72
 fruitflies 226
 fungal diseases 160, 266–273
 see also diseases
 fungal growth, dried cassava 292–293
 fungal pathogen, *Neozygites cf. floridana* 215
 fungi 35, 47, 272
 fungicide in polythene bags storage 285–286
Fusarium sp. 160, 273
 future 162
 future needs 51–53
 future perspectives 30–39
- gaplek* 302, 303
gari 291, 293–294, 304, 316
gatot 303
 genebanks 171–173
 generalist feeders 210–211
 genes
 controlling agronomic traits 183–185
 herbicide-resistant 36
 pools 5, **6**
 positional cloning 185–187
 transfer 162
 gene-tagging projects 185
 genetic
 control, cyanogen production 162
 diversity assessment 180–182
 engineering 162, 187–197
 manipulation 286
 mapping 183–186, 230
 markers 5, 179–180
 origins 17
 resources 32, 149–162, 167–175
 resources network 30
 transformation methods **189**
 genome mapping 182–183
 genotype selection 101
 geographical origins 6–7
 germplasm
 banks 67–68
 collections 19, 32, 169, **170, 172**
 conservation 168–174
 cryopreservation 173–174
 local adaptation 151–152
 resistance levels 153
 resistant 158
- Global Cassava Development Strategy
 295–296
Glomerella manihotis 269
Glomerella stem rot 271
Glomus manihotis 140–141
 glucose 310–311
 grain legume, intercropping 102–103
 grasshoppers 228
 grating 287, 291–**292**, 301–302
 green mites
 accidental introduction 210
 biocontrol 35
 host plant resistance research 213–214
 introduced pests 46
 predators 215, 229
 resistance breeding 160–161
 green mottle virus 252
 greenhouse experiments 129–130
 ground cover, plant type 98, **99**
 growing season 56
 growth
 control 83
 cycle **74**
 and development 72–78
 effect of cassava brown streak disease
 (CBSD) 251
 effect of cassava mosaic disease (CMD)
 245–246, 253
 fungal 292–293
 habit 10, **95**, 155–**156**
 see also characteristics; traits
 parameters **72**
 rate 155
 water deficit **82**
 Guarani Indians 21
 gums 309–310
- habit 10, **95**, 155–**156**
 see also characteristics; traits
 habitats protection 32
 Haiti 20–21
 handling fresh cassava 283–286
 handling planting material 91–93
 harvest index 155
 harvested products 115–118
 harvesting
 age 284
 delay 284
 roots 287
 seasonal 22

- time 59, 61, 62, 63
timely 53
- heat-fermented cassava product **290**
- Helicotylenchus* spp. 273
- herbicide-resistant genes 36
- herbicides 36, 97–98
- heterozygosity 168
- high carbohydrate translocation to roots 74
- high fructose syrup, flow diagram **312**
- high yield breeding 154–156
- hornworm 35, 195, 210, 221–223
- hornworm baculovirus 223, 229
- host plant resistance (HPR) 213–214, 219–220, 226, 229–230
- household level processing **290**
- human consumption 24, 56, 63, 64, 65
see also consumption
- hybridization techniques 150–151
- hybrids 153, 158, 160
see also clones; crosses
- hydrocyanic acid (HCN) 157–158, 291–292
- hydroxynitrile lyase (HNL) 291
- hygromycin 191
- imports 27, **28, 29**, 316
see also exports; markets
- improvement programme 248
- in-ground storage 284
- India
area harvested 61
cassava mosaic disease (CMD) **244**, 252–255
Kerala State, India 121
research 61
varieties 158
- indicator tissue 128
- Indonesia 61, 132
- industrial
analysis 295–296
processing 307–316
see also starch
purposes 62
utilization **25, 59**
- industry, Asia-Pacific region 58–65
- inflorescence development **150**
- inoculation **133**, 140–**141**, 160
- insect pests 162, 195, 292
see also diseases; pests; viruses
- Institute of Agricultural Research, Sierra Leone 47
- institutional resource base 28–30
- institutional support 36–37
- integrated cassava R&D project 20
- integrated control strategies 264
- integrated pest management (IPM) 35, 52, 228–230
see also biocontrol; control measures
- Integrated Root Crop Extension Program 62
- intercropping
agroforestry 108–109
crops 56, 59, 61, 62, 63, 140
ecological aspects 100
grain legume 102–103
legumes 99, **101**
nitrogen amendment **103**
nutritional aspects 100
pest control 219, 229
planting density 95, 102–103
production system 100–**104**
relative planting time 102
shading 81–82
socioeconomic aspects 100
species and genotype selection 101
weed control 98, **99**–100
yield response **103**
- intercrossing 248
see also clones; crosses; hybrids
- international germplasm exchange 265
- International Institute for Tropical Agriculture (IITA)
germplasm segregating 154
inaugurated 41
mandate for cassava research and breeding *ix*, 168–169
national programmes 35
- International Plant Genetic Resources Institute (IPGRI) descriptors 68
- international programmes 51
- interspecific crosses **7**, 154, 181, 248, 265
see also clones; crosses; hybrids
- iron 138
- iron deficiency 197
- iron deficiency anaemia 197
- Kerala State, India 121
- labour
distribution **290**
force decline 22
productivity 33–34
requirements 47–48, 50, 53

- lacebugs 225–226
 lactic acid 314–315
 land preparation 93
 larger grain borer (LGB) 46–47, 292
 Latin America 17–18
 distribution 17–18
 domestic animal feed industry 316
 NPK trials 132
 origin 17–18
 product exports 27–28
 production systems 22–24, 209–210
 production trends **18, 23**
 leaf area index (LAI) 75–76, 155–156
 leaf fungal diseases 266–269
 leaf spot diseases resistance 160
 leaves
 agronomic characteristics **71**
 area development 75–**76**
 characteristics 70, **71**
 development 74, **76**
 growth control 83
 growth parameters **72**
 longevity significance 155–156
 morphological characteristics **71**
 retention 196
 symptoms, *Xanthomonas campestris* pv. *manihotis* **264**
 unexpanded **161**
 youngest fully expanded leaf (YFEL) 128, **130**
 legumes 99, **101**, 102–103, 106–107
 Lepidoptera 195, 221–226
 lesion nematodes 273, 274
 life table data **216**
 lime 137–138, 139
 linamarin 78, 195, **291**
 live barriers 107–108

 magnesium 137
 maize production costs **26**
 Malang Research Institute 61
 Malaysia 63, 121
 maltodextrin 312
 maltol 314
 maltose 311–312
 manganese 138
Manihot esculenta 32, 265
 Manihot Genetic Resources Network (MGRN) 30, 32
Manihot genus, cytotaxonomy 149–150
Manihot glaziovii 152–152, **159**, 160, 181, 248, 265
Manihot melanobasis **7, 9**
Manihot saxicola **6**
Manihot sp. 154, 158, 167–168, 180–181
 manipeba 9–12
 mannitol 314
 mannose 193–194
 manures 139–140
 markers
 biochemical 5
 DNA 180
 firefly luciferase 190–192
 genetic 179–180
 molecular 179–187
 restriction fragment length polymorphism (RFLP) 4–5, 181
 sequence-characterized amplified region (SCARs) markers 220
 simple sequence repeat (SSR) 182, 183, 220
 visual 188
 marketing 24–28, 284, **285**
 markets 27, 37, 50, 294, 316
 see also exports; imports
 mealybugs 35, 160–**161**, 210, 215–218, 228
 mechanization 34, 48
Meloidogyne spp. 273, 274
 Mendel, Gregor Johann (1822–1884) 179–180
 Mendelian components 183–184
 meristem culture 47, 188, 190
 microbial techniques of extraction 307
 micronutrients 137–138
 mineral nutrition 115–141
 modified starches 312
 molecular
 characterization 68
 genetic mapping 159, 182, 230
 markers 162, 179–187
 tests **5**
Mononychellus caribbeanae **216**
Mononychellus mite complex 210
Mononychellus tanajoa 210, 213, 214, **216**, 243
 monosodium glutamate (MSG) 316
 morphological characteristics 67–72, **75**
 mounds 93
 mulch 105, 108, 140
 mycorrhizae 35
 mycorrhizas inoculation 140–**141**

- mycotoxigenic storage fungi 293
 mycotoxin contamination 292–293
- National Cassava and Fruit Research Centre (CNPMPF) 19, 32
 National Centre for Genetic Resources and Biotechnology (CENARGEN) 19, 32
 national programmes 28–30, 32–33, 47, **152**
 needs assessment (NA) 295
 nematodes 261, 273–274
Neosilba perezii 226, **227**, 228
 Neotropics 237
Neozygites cf. floridana 215
 net assimilatory rate (NAR) 75–76
 networks 29–30, 51, 62, 169
 Nigeria National Programme 47
 nitrogen (N) 48, **103**, 115–118, 132–133
 see also fertilizer; NPK; nutrients
 NPK
 annual applications **122**, **123**, **132**
 content roots **119**
 crop production systems 48–49
 crop rotation **108**, 109–110
 intercropping **103–104**
 requirements 48–49
 trials **126**, 132–133, 135–137
 see also fertilizer; nitrogen (N); nutrients; phosphorus (P); potassium (K)
- nutrients
 absorption 115–118
 concentrations **129**, **130**
 content, roots **118**
 critical levels **127**, **131**
 deficiency symptoms 121–122, **124**
 distribution 115–118, **117**
 losses, erosion 118–**120**
 management 103–104
 removal 115–118
 see also fertilizer; NPK
- nutrition, mineral 115–141
 nutritional
 contribution to diet 282–283
 disorders correcting 130–138
 disorders diagnosis 121–130
 elements, root 158
 requirements **125**
 value improvement 307
- Oceania 63, **64**
Oligonychus peruvianus 161
- on-farm conservation of genetic resources 174
 organogenesis 192–193, 197
 origins
 agricultural 8–9
 botanical 1–6
 close relatives 181
 genetic 17
 geographical 6–7, 167–168
 transitional link 9–12
 osmotic adjustment 84–85
 oxidized starches 313
- Pacific 55–65
 Pacific Islands **283**
 Pacific regions, virus diseases 252–254
 Papua New Guinea 63
 Paraguay 21
 parasites, cassava mealybugs 35
 parasitic nematodes 274
 parasitoid species complex 221
 parasitoids 46, 217–218, 223–224, 225
 see also predators
 paromomycin 190–191, 192
 particle bombardment 162, 188
 particle gun method DNA transfer 162, 188
 pathogens associated with cassava diseases **262**
 peeling 287
 pellets 306–307, 316
 perishability 284–286, 296
 Peru 21
 pesticides 229
 pests
 arthropod 209–230
 co-evolved 210–211
 control measures 217, 218–221, 223–224, 225–226
 see also biological control; integrated pest management (IPM); resistance breeding
 ecosystem-specific 52
 introduced 46
 major 46, 52, **212**, 213–226
 management 35
 occasional and incidental **227**
 postharvest 46–47
 production constraints 46–47
 resistance 157, 230
 secondary 226–228
 see also diseases
 PHD, biosynthetic pathway 187

- Phenacoccus* sp. 161, 210, 215, 217–218
 phenetic relationships **2**, 3
 phenogram **6**
 phenotype 98, **99**, 156
 Philippines 62
 phosphorus (P) 48, **104**, 115–118, **133–135**
 see also fertilizer; NPK; nutrients
 photoperiod 80–81
 photosynthesis 77–78
Phyllophaga spp. 210
 phylogeny 1, **2**, 3, **6–7**
 physiological deterioration 284, 285, 286
 physiology 79–85
 phytophthora root rot 272
Phytophthora spp. 160, 185
 Phytoseiidae predators 215, **216**
 pits storage 285
 plant
 architecture 162
 developmental stages 72–75
 ground cover 98, **99**
 habit 10, **95**, 155–**156**
 see also characteristics; traits
 protection research 52
 tissue 128, **131**
 type 156
 plant practitioners network 30
 planting
 density 95–96, 98, **99**, 102–103
 depth 94–95
 distance 171
 methods 56
 patterns **96–97**
 position **94**
 techniques 94–97
 time 59, 61, 62, 63, 102
 planting material
 cassava mosaic disease (CMD)-free 249
 handling 91–93
 health status 254
 production 91–93
 quality 34, 45–46
 quarantine, cassava bacterial blight (CBB)
 265
 rapid multiplication 91–92
 selection 91–92
 storage 92–93
 see also propagation; seeds
 plastic 197, 314
 Pohl, Johann Baptist Emanuel (1782–1834)
 7, 8
 polycross design 150
 polymerase chain reaction (PCR) 220
 polyphenol oxidase (PPO) 78–79
 population growth 37
 positive selection system 193–194
 postharvest
 deterioration 157, 185, 283–284
 interventions 296
 life 78
 management improvement 52–53
 network 30
 operations 53
 pests 46–47
 pot experiments 129–130
 potassium (K) 48–49, 115–118, 135–137
 see also fertilizer; NPK; nutrients
 potato transgenics 187
 poverty alleviation 294–295
Pratylenchus brachyurus 273, 274
 predators
 biocontrol systems 35
 egg 222
 green mites 215, 229
 mealybugs 217
 Phytoseiidae 215, **216**
 stem borers 223–224
 whiteflies 220–221
 see also parasitoids
 pre-gelatinized cassava starch 303
 preserving 284
 processed foods *ix*
 processing
 defined 37
 development beyond household scale
 293–294
 household level **290**
 industrial 307–309
 machinery 50
 methods 49–50
 poles 36
 small scale 286–292
 starch 59, 286–292, 307–316
 technologies 53
 see also production; starch
 product groups 50
 production
 Asia 56–**57**, **58**
 constraints 43–47
 costs **26**
 fructose syrup, flow diagram **312**
 Oceania **64**
 process, dextrin **310**
 sago, flow diagram **311**

- statistics **42**
- systems, Latin America 22–24, 209–210
- technologies 31
- trends **18, 23–24, 41–43, 45**
- world **57**
- see also* processing
- productivity index model 110
- productivity-enhancing technology 23–24
- products
 - distribution **289**
 - exports 27–28
 - heap-fermented **290**
 - interrelationship **288**
 - types by country **287**
- projections 30–39
- propagation
 - meristem culture 47, 188, 190
 - novel systems 34
 - stakes 91, 92–93, 94, 171
 - stem cuttings 45–46, 56, 62, 63, 67
 - vegetative 169
 - see also* planting material; seeds
- Prostephanus truncatus* 46–47, 292
- protein 49, 158, 196
- protocols 52
- Pseudotheraptus devastans* Dist. 270
- pubescent shoot tips **161**

- quality characters 171
- quantitative trait loci (QTL) analysis
 - 184–185
- quarantine, planting materials, cassava
 - bacterial blight (CBB) 265

- raised beds 93
- Ralstonia solanacearum* 266
- randomly amplified polymorphic DNA (RAPD)
 - technique 186
- rapid multiplication 91–92
- Rayong series cultivars 61
- refrigeration 286
- regeneration methods 188–194
- relative planting time, intercropping 102
- reniforms nematodes 273
- research
 - and development 29, 36–37
 - and development networks 30, 169
 - mandate for cassava research and breeding *ix*, 168–169
 - plant protection 52
 - programmes 51
 - see also* resistance breeding
- residues 38
- resistance
 - cassava bacterial blight (CBB) 47, 159–160
 - cassava mosaic disease (CMD) 47
 - clones 159–160
 - concept 158–159
 - diseases 52, 155–156, 194–195
 - host plant resistance (HPR) 213–214, 219–220, 226, 229–230
 - major pests 52
 - pests 157, 230
 - screening, cassava bacterial blight (CBB) 265
 - Xanthomonas axonopodis* 159–160
- resistance breeding 47, 158–**161**, 171
- see also* research
- resource base 28–30
- restriction fragment length polymorphism (RFLP) analyses 4–5
- restriction fragment length polymorphism (RFLP) markers 181
- ridges 93
- ring leaf spot 268–269
- root
 - characteristics 68, **69–70**
 - nutritional elements 158
 - pathogen resistance 160
 - primary function 158
 - rot 47, 185, 272–273
 - soft rot 266
 - system formation 74
- root-knot nematodes 273, 274
- roots
 - deterioration process 162
 - fresh 24, **80, 118**
 - harvesting 287
 - high carbohydrate translocation to 74
 - nutrient content **118**
 - preparation 287
 - production **95, 96**
 - quality 156–157, **159**, 195–196
 - transportation 287
- Rosellinia necatrix* 273
- Rotylenchulus reniformis* 273
- runoff nutrient losses 118–120
- rural development 294–295
- rust 271

- sago 310, **311**, 316
- saline-alkaline soils 139
- sanitary measures, Cassava bacterial blight (CBB) 265
- scavenger crop 115
- Sclerotium* root rot 272
- scopoletin 293
- Scutellonema* spp. 273
- secondary pests 226–228
- seed, local selection 154
- seeds
- artificial 162
 - description 72
 - disinfection 265
 - genebanks 172
 - local selection 154
 - management 150–151
 - resistant varieties 248
 - true seed 67, 91
- see also* planting material; propagation
- sequence-characterized amplified region (SCARs) markers 220
- shading 81–82
- shelf-life 37, 284, 285–286
- shoot dieback, *Xanthomonas campestris* pv. *manihotis* **265**
- shoot organogenesis 192–193
- shoot tips **161**
- shoot-tip cultures 172–173
- shootfly 226, 228
- silage 306
- simple sequence repeat (SSR) markers 182, 183, 220
- size reduction 287
- slicing 287
- small-scale industrial cassava starch production 307–308
- small-scale processing 286–292
- snack foods 27, 303
- sodium picrate test 157
- soft rot bacteria 226
- soft rot of stems and roots 266
- soil-borne fungi 272
- soils
- acid 137, 138–139
 - amendments 138–141
 - analysis 123–128
 - bacterium 195
 - chemical characteristics classification **125**
 - conservation 104–110
 - degradation 104–105, 109–110
 - erosion 32, 55–56, 59
 - exchangeable K content **122**, **136**
 - fertility 34–35, 43–45, 115–121
 - nutrient losses **120**
 - productivity, long-term effect of cassava production 120–121
 - saline-alkaline 139
 - types 61, 62, 63
- solar radiation 81–82
- sole cropping
- commercialized production 56, 65
 - common practice 61, 62, 63
 - planting density 95
 - planting space 59
 - weed control levels effect in **99**
 - yield responses **104**
- somatic embryos 190
- sorbitol 314
- sour flour 304
- source-sink relationship 76–77
- South Africa Root Crops Research Network (SARRNET) 169
- South America 17–39
- South Vietnam 121
- Southern Cone Network 30
- species **4**
- species selection 101
- Speke, John Hanning (1827–1864) 41
- spiral nematodes 273
- sprouting 72, **94**
- Sri Lanka 63
- stakes 91, 92–93, 94, 171
- Stanley, Sir Henry Morton (1841–1904) 41
- starch
- biosynthesis genes 186–187
 - content 156–157
 - demand-side interventions 38
 - derivatives **25**
 - exports 57, 61
 - extraction from dried cassava 308–309
 - factories waste management 315–316
 - importance 56
 - industrial utilization **25**
 - large-scale production 309
 - pre-gelatinized 303
 - processing 59, 307–316
 - production 25–27, 60, 62, 63
 - products 26–27
 - quality 157, 162
 - setting **308**
- see also* industrial, processing
- starch-based applications 25–27

- statistics **42**
 stem
 characteristics 68–70, **75**
 cuttings 45–46, 56, 62, 63, 67
 development 74
 diseases 269–272
 gall 266
 raised lesions and cankers **270**
 rot 271
 soft rot 266
 storage 92
 transportation 91
 stem borers 195, 223–224
 stomatal closure, control 83
 storage
 DNA 169
 dried cassava 292–293
 fresh cassava 49, 283–286
 planting material 92–93
 roots **73**, 78–79
 systems 284–286
 technologies, fresh cassava 283–286
 temperature 286
 subglabrous shoot tips **161**
 subspecies **4**
 sulphur 137
 super-elongation disease 160, 271
 supply-side interventions 31–37
- Tanzania **290**
 taxonomy 1–12, 149–150, 167–168,
 237–256
 technical guidelines for safe movement of
 cassava germplasm 265–266
 technology
 animal feed 39
 peeling 52–53
 processing 53
 production 31
 productivity-enhancing 23–24
 storage 283–286
 transgene 187–188
 temperature
 effect on development **79–80**
 genotype interactions 155–156
 growing 151
 regimes **80**
 storage 286
 temporal development, cell division **76**
 termites 228
Tetranychus urticae 161, **216**
 Thailand 58–61, 121, 132
 thrips 226, **227**
 tillage 105–106
 tillage versus no till 93
Tomato golden mosaic virus 195
 Tonga 65
 toxic potential 49
 toxicity 121–122, **124, 131**
 see also cyanogenic glucosides
 traditional processing systems 286–290
 traditional storage systems 284–285
 traits 17, 32, 33, 183–186
 see also characteristics; habit
 transfer, DNA 162, 188
 transformation methods 188–194
 transgene technology 187–188
 transgenic tissue multiplication 197
 transgenics 186, 187
 transitional link 9–12
 transmission experiments 252, 253
 transportation
 roots 287
 stem 91
 trends 24–28
 tropical livestock nutrition 305–307
 true seed 67, 91
- udaga* **290**
 UK imports 27
 United Nations Conference on Environment
 and Development, Rio de Janeiro
 (1992) 169
 United Nations Conference on the Human
 Environment, Stockholm (1972) 168
 United States of America (USA), imports 27,
 29
Uromyces sp. 271
 utilization
 Asia 56
 crop 49–50, 281
 growth rates **31**
 regional variations 24–28
 starch **25**
 world 281–283
 world patterns **283**
- value added cassava 197
 varieties
 abandoned **48**
 Brazilian 158

- varieties *continued*
- cassava mosaic disease resistant 248–249
 - development 32–33
 - improvement 47, 51–52
 - Indian 158
 - lack of well-adapted 46
 - resistant to cassava mosaic disease (CMD) 248
 - selection of improved 47
 - selection to overcome physiological deterioration 286
- Vatiga* sp. 225–226
- Venezuela 21–22
- vesicular-arbuscular mycorrhizas (VAM) **133**, 140–**141**
- Vietnam 62–63
- Vietnam Root and Tuber Crops Research Program 63
- viruses
- Africa 242–252
 - Asia 252–254
 - Baculoviridae* 222–223
 - cassava mosaic geminiviruses (CMGs) 158, 194, 243
 - cassava mosaic viruses (CMVs) 246–247
 - Central America 237–242
 - control measures 254–255
 - green mottle virus 252
 - indexing 47
 - Pacific regions 252–254
 - resistance breeding 158–159
 - resistance strategy 194–195
 - South America 237–242
 - transmission, whitefly 194, 218–219
 - vectors 218
 - see also* diseases
- visual markers 188
- vitamin A deficiency 196–197
- vitamin and mineral content 158
- waste management, starch factories 315–316
- waste water 38
- water deficit **82–84**
- water stress 83, 161
- waxing 286
- weeds 35–36, 56, 97–100
- wheat flour substitute 24, 37–38, 50, 294
- see also* flour
- white grubs 228
- white leaf spot 267–**268**
- white thread disease 272
- whiteflies
- adaptation 255–256
 - cassava mosaic disease (CMD)
 - transmission 246–247, 253
 - control 218–221
 - predators 220–221
 - resistance breeding, to 160–161
 - vector 254
 - virus transmission 194, 218–219, 253
 - see also Bemisia tabaci*
- whitefly-borne African cassava mosaic disease (ACMD), cause 158
- whitegrubs 210
- wild ancestors 3, 9–12, 168
- wild relatives 51–52
- wild species 167–168, 169
- world exports **57, 59**
- world production **57**
- world utilization patterns **283**
- Xanthomonas axonopodis* 159–160, 184, 263
- Xanthomonas campestris* **264, 265**, 266
- yield
- correlations, associated legumes **101**
 - decline control 109–110
 - dry root **118, 119**
 - effect of cassava brown streak disease (CBSD) 251
 - effect of cassava mosaic disease (CMD) 245–246, 253
 - effect of fertilizer application **123**
 - effect of NPK fertilizer on **108, 122**
 - effect of two weed control levels **99**
 - levels 24, **45, 57**, 121
 - losses 52, 194, **212–213**, 263–264
 - NPK treatments **136**
 - statistics **42**
 - world **57**
- yield losses **212**
- youngest fully expanded leaf (YFEL) 128, **130**
- zinc 137, 138, 139, 243
- Zonocerus* sp. 228